

# Hashing

---

- Hashing Recap
- Dictionaries
- Perfect Hashing
- String Hashing

Philip Bille

# Hashing

---

- Hashing Recap
- Dictionaries
- Perfect Hashing
- String Hashing

# Hashing Recap

---

- Hash function idea.
  - Want a random, crazy, chaotic function that maps a large universe to a small range. The function should distribute the items “evenly.”
- Hash function.
  - Let  $H$  be a family of functions mapping a universe  $U$  to  $\{0, \dots, m-1\}$ .
  - A **hash function**  $h$  is a function chosen randomly from  $H$ .
  - Typically  $m \ll |U|$ .
- Goals.
  - Low **collision probability**: for any  $x \neq y$ , we want  $\Pr(h(x) = h(y))$  to be small.
  - Fast evaluation.
  - Small space.

# Hashing Recap

---

- **Universal hashing.**

- Let  $H$  be a family of functions mapping a universe  $U$  to  $\{0, \dots, m-1\}$ .
- $H$  is **universal** if for any  $x \neq y$  in  $U$  and  $h$  chosen uniformly at random from  $H$

$$\Pr(h(x) = h(y)) \leq \frac{1}{m}.$$

- **Examples.**

- Multiply-mod-prime.
  - $h_{a,b}(x) = ax + b \pmod p$  with  $H = \{h_{a,b} \mid a \in \{1, \dots, p-1\}, b \in \{0, \dots, p-1\}\}$ .
- Multiply-shift.
  - $h_a(x) = (ax \pmod{2^k}) \gg (k-l)$  with  $H = \{h_a \mid a \text{ is an odd integer in } \{1, \dots, 2^k - 1\}\}$

# Hashing

---

- Hashing Recap
- **Dictionaries**
- Perfect Hashing
- String Hashing

# Dictionaries

---


- **Dictionary problem.** Maintain a dynamic set of integers  $S \subseteq U$  subject to following operations
  - LOOKUP(x): return true if  $x \in S$  and false otherwise.
  - INSERT(x): set  $S = S \cup \{x\}$
  - DELETE(x): set  $S = S \setminus \{x\}$
- **Satellite information.** Information associated with each integer.
- **Applications.** Lots of practical applications and key component in other algorithms and data structures.
- **Challenge.** Can we get a compact data structure with fast operations.

# Chained Hashing

---

- **Chained hashing.**

- Choose universal hash function  $h$  from  $U$  to  $\{0, \dots, m-1\}$ , where  $m = \Theta(n)$ .
- Initialize an array  $A[0, \dots, m-1]$ .
- $A[i]$  stores a linked list containing the keys in  $S$  whose hash value is  $i$ .




- **Space.**  $O(m + n) = O(n)$

# Chained Hashing

---

- **Operations.**

- LOOKUP(x): Compute  $h(x)$ . Scan  $A[h(x)]$ . Return true if  $x$  is in list and false otherwise.
- INSERT(x): Compute  $h(x)$ . Scan  $A[h(x)]$ . Add  $x$  to the front of list if it is not there already.
- DELETE(x): Compute  $h(x)$ . Scan  $A[h(x)]$ . Remove  $x$  from list if it is there.



- **Time.**  $O(1 + |A[h(x)]|)$



# Chained Hashing

---

- What is the expected length of  $A[h(x)]$ ?

- Let  $I_y = \begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases}$

- $E(|A[h(x)]|) = E\left(\sum_{y \in S} I_y\right) = \sum_{y \in S} E(I_y) = 1 + \sum_{y \in S \setminus \{x\}} \Pr(h(x) = h(y)) \leq 1 + (n - 1) \cdot \frac{1}{m} = O(1)$

- **Theorem.** We can solve the dictionary problem in  $O(n)$  space and constant expected time per operation.

# Hashing

---

- Hashing
- Dictionaries
- **Perfect Hashing**
- String Hashing

# Static Dictionaries and Perfect Hashing

---

- **Static dictionary problem.** Given a set  $S \subseteq U = \{0, \dots, u-1\}$  of size  $n$  for preprocessing support the following operation
  - LOOKUP( $x$ ): return true if  $x \in S$  and false otherwise.
- **Challenge.** Can we do better than (dynamic) dictionary solution?
- **Perfect Hashing.** A **perfect hash function** for  $S$  is a **collision-free** hash function on  $S$ .
  - Perfect hash function in  $O(n)$  space and  $O(1)$  evaluation time  $\implies$  solution with  $O(n)$  space and  $O(1)$  **worst-case lookup time**.
  - Do perfect hash functions with  $O(n)$  space and  $O(1)$  evaluation time exist for any set  $S$ ?


# Static Dictionaries and Perfect Hashing

---

- **Goal.** Perfect hashing in linear space and constant worst-case time.
- **Solution in 3 steps.**
  - **Solution 1.** Collision-free but with too much space.
  - **Solution 2.** Many collisions but linear space.
  - **Solution 3: FKS scheme [Fredman, Komlós, Szemerédi 1984].** Two-level solution. Combines solution 1 and 2.

# Solution 1: Collision-Free, Quadratic Space

---



- **Data structure.**
  - Array  $A$  of size  $n^2$ .
  - Universal hash function mapping  $U$  to  $\{0, \dots, n^2-1\}$ . Choose randomly during preprocessing until collision-free on  $S$ . Store each  $x \in S$  at position  $A[h(x)]$ .
- **Space.**  $O(n^2)$ .

# Solution 1: Collision-Free, Quadratic Space

---

0	
1	
2	13
3	
4	41
5	
	⋮
98	66
99	

- Queries.
  - LOOKUP(x): Check  $A[h(x)]$ .
- Time.  $O(1)$ .
- Preprocessing time?

## Solution 1: Collision-Free, Quadratic Space

---

- **Analysis.**

- Let  $I_{x,y} = \begin{cases} 1 & \text{if } h(y) = h(x) \\ 0 & \text{if } h(y) \neq h(x) \end{cases}$

- Let  $C$  = total number of collisions on  $S$ .

- $$E(C) = E\left(\sum_{x,y \in S, x \neq y} I_{x,y}\right) = \sum_{x,y \in S, x \neq y} E(I_{x,y}) = \sum_{x,y \in S, x \neq y} \Pr(h(x) = h(y)) \leq \binom{n}{2} \frac{1}{n^2} < \frac{1}{2}$$

- $\Rightarrow$  With probability  $1/2$  we get perfect hashing function. If not perfect try again.

- $\Rightarrow$  Expected number of trials before we get a perfect hash function is  $O(1)$ .

- **Theorem.** We can solve the static dictionary problem in

- $O(n^2)$  space and  $O(n^2)$  expected time preprocessing time.

- $O(1)$  worst-case query time.

## Solution 2: Many Collisions, Linear Space.

---


- As solution 1 but with an array of length  $n$ . What is the expected number of collisions?

$$\bullet \quad E(C) = E \left( \sum_{x,y \in S, x \neq y} I_{x,y} \right) = \sum_{x,y \in S, x \neq y} E(I_{x,y}) = \sum_{x,y \in S, x \neq y} \Pr(h(x) = h(y)) \leq \binom{n}{2} \frac{1}{n} < \frac{n}{2}$$



## Solution 3: FKS-Scheme.


---



- **Data structure.** Two-level solution.
  - At level 1 use solution with many collisions and linear space.
  - Resolve each collisions at level 1 with collision-free solution at level 2.
- **Space?**

## Solution 3: FKS-Scheme.

---



- **Queries.**
  - LOOKUP(x): Check level 1 to find the correct level 2 dictionary. Lookup in level 2 dictionary.
- **Time.**  $O(1)$ .


## Solution 3: FKS-Scheme.

- **Space analysis.** What is the total size of level 1 and level 2 hash tables?

- Let  $S_i = \{x \in S \mid h(x) = i\}$
- Let  $C =$  total number of collisions on level 1.

- $C = \sum \binom{|S_i|}{2}$  by construction.

- $C = O(n)$  by solution 2.



- **Space.**

$$O\left(n + \sum_i |S_i|^2\right) = O\left(n + \sum_i \left(|S_i| + 2 \binom{|S_i|}{2}\right)\right)$$

$a^2 = a + 2 \binom{a}{2}$

- $= O\left(n + \sum_i |S_i| + 2 \sum_i \binom{|S_i|}{2}\right) = O(n + n + 2n) = O(n)$

# Static Dictionaries and Perfect Hashing

---

- **FKS scheme.**
  - $O(n)$  space and  $O(n)$  expected preprocessing time.
  - Lookups with two evaluations of a universal hash function.
- **Theorem.** We can solve the static dictionary problem for a set  $S$  of size  $n$  in
  - $O(n)$  space and  $O(n)$  expected preprocessing time.
  - $O(1)$  worst-case time per lookup.
- **Multilevel data structures.**
  - FKS is example of **multilevel** data structure technique. Combine different solutions for same problem to get an improved solution.

# Hashing

---

- Hashing Recap
- Dictionaries
- Perfect Hashing
- **String Hashing**

# String Hashing

---

- Define hash function on **strings**.
- **Goals**.
  - Low **collision probability**.
  - Fast evaluation.
  - Small space.
  - Fast string **manipulation**.

# String Hashing

---

- **Karp-Rabin Fingerprint.**

- Let  $S$  be a string of length  $n$ . We view characters as digits and  $S$  as an integer.
- Let  $p$  is a prime number. Pick uniformly at random integer  $z \in \{0, \dots, p-1\}$ .
- The Karp-Rabin **fingerprint** of  $S$  is

$$\phi_{p,z}(S) = S[1]z^{n-1} + S[2]z^{n-2} + \dots + S[n-1]z^1 + S[n] \pmod{p}$$

- $$= \left( \sum_{i=1}^n S[i] \cdot z^{n-i} \right) \pmod{p}$$

- The fingerprint of  $S$  is the **polynomial** over the field  $Z_p$  evaluated at the random integer  $z$ .

# String Hashing

---

- **Theorem.** (Collision probability) Let  $S$  and  $T$  be distinct strings of length  $s$ , and let  $p$  be a prime. For a random  $z \in \{0, \dots, p-1\}$ :

$$\Pr(\phi_{p,z}(S) = \phi_{p,z}(T)) \leq \frac{s}{p}$$

- **Proof.**

$$\Pr(\phi_{p,z}(S) = \phi_{p,z}(T)) = \Pr\left(\sum_{i=1}^s S[i] \cdot z^{s-i} = \sum_{i=1}^s T[i] \cdot z^{s-i} \pmod{p}\right)$$

$$= \Pr\left(\sum_{i=1}^s (S[i] - T[i]) \cdot z^{s-i} = 0 \pmod{p}\right)$$

$\sum_{i=1}^s (S[i] - T[i]) \cdot z^{s-i}$  is a non-zero polynomial over  $Z_p$  of degree  $s-1$ .


- $\Rightarrow$  It has at most  $s-1$  roots  $\Rightarrow$  The probability that our random  $z$  is one of those is at most  $(s-1)/p < s/p$ .



# String Hashing

---

- Consider substrings of  $S$  of length  $s$ .



- **Fingerprint computation.** We can compute  $\phi_{p,z}(S[i, i + s - 1])$  in  $O(s)$  time.
  - **Proof.** See exercises.
- **Rolling property.**  $\phi_{p,z}(S[i + 1, i + s]) = (\phi_{p,z}(S[i, i + s - 1]) - S[i]z^{s-1})z + S[i + s] \pmod p$ 
  - **Proof.** See exercises.
- $\Rightarrow$  We can compute  $\phi_{p,z}(S[i + 1, i + s])$  from  $\phi_{p,z}(S[i, i + s - 1])$  in constant time.

# String Hashing

---

- [String matching](#). Given strings  $S$  and  $P$ , determine if  $P$  is a substring in  $S$ .

$S = \text{yabbadabbado}$

$P = \text{abba}$

- [What solutions do we know?](#)  $|P| = m$ ,  $|S| = n$ .
  - Brute force comparison:  $O(nm)$  time
  - Knuth-Morris-Pratt algorithm [KMP1977]:  $O(n + m)$  time.

# String Hashing

---

S = yabbadabbado

P = abba

- **Karp-Rabin Algorithm.**
  - Pick  $p \geq m^2$ .
  - Compute  $\phi(P)$ .
  - Compute and compare  $\phi(S[i, i + m - 1])$  with  $\phi(P)$  for all  $i$ .
  - If fingerprints match, **verify** using **brute-force** comparison. Return “yes!” if we match.
- **Time.**
  - Let  $F$  be the number of collisions, i.e.,  $S[i, i + m - 1] \neq P$  but  $\phi(S[i, i + m - 1]) = \phi(P)$ .
  - $\Rightarrow O(n + m + Fm)$ .

# String Hashing

---

S = yabbadabbado

P = abba

- Expected number of collisions.
  - The probability of collision at a single substring is  $m/p \leq 1/m$ .
  - $\Rightarrow$  Expected number of collision on all  $n-m+1$  substrings  $\leq (n-m+1)/m < n/m$ .
- $\Rightarrow$  Expected time is  $O(n + m + mn/m) = O(n + m)$ .

# String Hashing

---

- **Theorem.** We can solve the string matching problem in  $O(n + m)$  time expected time.
- **String matching with Karp-Rabin fingerprints.**
  - Simple, practical, fast.
  - More techniques  $\Rightarrow$  Fast reporting, small space, real-time, streaming, etc.

# Hashing

---

- Hashing
- Dictionaries
- Perfect Hashing
- String Hashing